

Attachment 7: CGA Electronic Library Contents

CGA Electronic Library Contents

| ID | Ed | Pub Date | Title |
|----------------|---------------|---------------------|--|
| C-1 | 11 | 02/01/16 | Methods for Pressure Testing Compressed Gas Cylinders |
| C-3 | 8 | 05/01/19 | Standards for Welding on Thin-Walled, Steel Cylinders |
| C-5 | 7 | 11/10/10 | Wall Stress Requalification Criteria for High Pressure Seamless Steel Cylinders |
| C-6 | 11 | 06/28/13 | Standard for Visual Inspection of Steel Compressed Gas Cylinders |
| C-6.1 | 6 | 05/08/13 | Standard for Visual Inspection of High Pressure Aluminum Alloy Compressed Gas Cylinders |
| C-6.2 | 7 | 07/01/13 | Standard for Visual Inspection and Requalification of Fiber Reinforced High Pressure Cylinders |
| C-6.3 | 3 | 04/24/13 | Standard for Visual Inspection of Low Pressure Aluminum Alloy Compressed Gas Cylinders |
| C-6.4 | 4 | 10/31/12 | Methods for External Visual Inspection of Natural Gas Vehicle (NGV) and Hydrogen Gas Vehicle (HGV) Fuel Containers and Their Installations |
| C-7 | 10 | 11/17/14 | Guide to Classification and Labeling of Compressed Gases |
| C-8 | 8 | 11/06/17 | Standard for Requalification of DOT-3HT, CTC-3HT, and TC-3HTM Seamless Steel Cylinders |
| C-9 | 5 | 09/30/13 | Standard Color Marking of Compressed Gas Containers for Medical Use |
| C-10 | 5 | 07/19/13 | Guidelines to Prepare Cylinders and Tubes for Gas Service and Changes in Gas Service |
| C-11 | 5 | 07/18/13 | Practices for Inspection of Compressed Gas Cylinders at Time of Manufacture |
| C-12 | 6 | 04/07/14 | Qualification Procedure for Acetylene Cylinder Design |
| C-13 | 7 | 01/19/18 | Standard for Periodic Visual Inspection and Requalification of Acetylene Cylinders |
| C-14 | 4 | 08/11/05 | Procedures for Fire Testing of DOT Cylinder Pressure Relief Device Systems |
| C-15 | 5 | 06/09/14 | Procedures for Cylinder Design Proof and Service Performance Tests |
| C-16 | 3 | 12/11/14 | CGA Cylinder Registration Program for Cylinder Owner Symbols |
| C-16.1 | 3 | 05/26/15 | CGA Cylinder Owner's Registration Symbols and Company Names |
| C-17 | 2 | 12/11/14 | Methods to Avoid and Detect Internal Gas Cylinder Corrosion |
| C-18 | 4 | 05/17/19 | Methods for Acoustic Emission Requalification of Seamless Steel Compressed Gas Tubes |
| C-20 | 2 | 08/15/14 | Requalification Standard for Metallic, DOT and TC 3-Series Gas Cylinders and Tubes Using Ultrasonic Examination |
| C-21 | 3 | 10/21/15 | Design, Qualification, and Testing of Pressure Vessels for Portable, Reversible Metal Hydride Systems |
| C-22 | 2 | 06/22/18 | Water Corrosion of Composites with AA6061 Liners |
| C-23 | 2 | 01/22/18 | Standard for Inspection of DOT/TC 3 Series and ISO 11120 Tube Neck Mounting Surfaces |
| C-26 | 1 | 02/16/17 | Guideline for the Post Manufacture Tare Weight Marking of Cylinders (formerly TB-15) |
| C-27 | 1 | 02/12/19 | Standard Procedure to Derate the Service Pressure of DOT 3-Series Seamless Steel Tubes |
| E-1 | 7 | 09/29/16 | Standard for Rubber Welding Hose and Hose Connections for Gas Welding, Cutting, and Allied Processes |
| E-3 | 4 | 08/19/08 | Low Pressure Pipeline Station Outlet/Regulator Inlet Connection Standard |
| E-4 | 7 | 07/26/16 | Standard for Gas Pressure Regulators |
| E-5 | 6 | 06/21/17 | Oxy-Fuel Torch Standard |
| E-6 | 4 | 05/19/06 | Standard for Hydraulic Type Pipeline Protective Devices as Required by NFPA 51 |
| E-7 | 5 | 09/19/18 | Standard for Medical Gas Pressure Regulators, Flowmeters, and Orifice Flow Selectors |
| E-8 | 2 | 11/13/07 | Gas Flowmeters |
| E-9 | 5 | 04/03/17 | Standard for ETFE-Lined and PTFE-Lined Flexible Hoses for Compressed Gas Service |
| E-10 | 5 | 09/10/18 | Guideline for the Maintenance of Medical Gas and Vacuum Systems in Health Care Facilities |
| E-11 | 3 | 09/03/15 | Stationary Compressed Gas Cylinder Discharging Manifolds for Working Pressures up to 3000 psi |
| E-12 | 2 | 04/11/19 | Standard for Safety Devices Used in Gas Welding, Cutting, and Allied Processes |
| E-14 | 2 | 10/21/13 | Maximum Leakage Rates (Gas Tightness) of Equipment Used for Welding, Cutting, and Allied Processes |
| E-15 | 3 | 07/13/17 | Guideline for Periodic Service Program for Industrial Gas Regulators |
| E-16 | 2 | 05/04/15 | Standard for Compressed Gas Check Valves for Pressures up to 3000 psi |
| E-17 | 2 | 08/15/14 | Hose Line Quick-Connect Couplings for Welding, Cutting, and Allied Processes |
| E-18 | 2 | 03/20/15 | Medical Gas Valve Integrated Pressure Regulators |
| E-19 | 1 | 03/07/18 | Guideline for Safe Use of Oxy-Fuel Equipment Used in Welding, Cutting, and Allied Processes |
| F-1 | 1 | 05/25/18 | Standard for Food Safety Management Systems and Good Manufacturing Practices for Food Gas Manufacturers |
| F-2 | 1 | 12/11/17 | Guideline for Food Gases Product Hazard Analysis and Risk-Based Preventive Control (HARPC) Program |
| F-3 | 1 | 06/21/17 | Guideline for Qualifying Suppliers Used by Food and Beverage Gas Distributors and Manufacturers |
| G-1 | 13 | 04/07/15 | Acetylene |
| G-1.1 | 5 | 07/19/17 | Commodity Specification for Acetylene |

CGA Electronic Library Contents

| ID | Ed | Pub Date | Title |
|--------|----|----------|---|
| G-1.2 | 4 | 10/22/12 | Acetylene Metering and Piping |
| G-1.5 | 5 | 05/04/15 | Carbide Lime: Its Value and Uses |
| G-1.6 | 8 | 05/16/18 | Standard for Mobile Acetylene Trailer Systems |
| G-1.7 | 5 | 10/16/12 | Standard for Storage and Handling of Calcium Carbide in Containers |
| G-1.8 | 4 | 02/01/17 | Guideline for the Operation and Closure of Carbide Lime Ponds |
| G-1.9 | 2 | 06/20/13 | Recommended Practices for Maintaining the Proper Solvent Level in Acetylene Cylinders |
| G-1.10 | 1 | 10/16/17 | Guideline for the Safe Operation of Acetylene Generators |
| G-1.11 | 1 | 05/07/18 | Guideline for Handling Acetylene Cylinders and Ancillary Equipment in Fires (Formerly SB-4) |
| G-2 | 8 | 04/01/95 | Anhydrous Ammonia |
| G-2.1 | 6 | 11/07/14 | Requirements for the Storage and Handling of Anhydrous Ammonia (an American National Standard) |
| G-2.2 | 3 | 09/27/16 | Guideline Method for Determining Minimum of 0.2% Water in Anhydrous Ammonia |
| G-3 | 6 | 10/25/17 | Sulfur Dioxide |
| G-4 | 11 | 03/20/15 | Oxygen |
| G-4.1 | 7 | 08/21/18 | Cleaning of Equipment for Oxygen Service |
| G-4.3 | 8 | 09/10/18 | Commodity Specification for Oxygen |
| G-4.4 | 5 | 10/26/12 | Oxygen Pipeline and Piping Systems |
| G-4.7 | 4 | 02/12/14 | Installation Guide for Stationary, Electric-Motor-Driven, Centrifugal Liquid Oxygen Pumps |
| G-4.8 | 4 | 02/13/13 | Safe Use of Aluminum-Structured Packing for Oxygen Distillation |
| G-4.9 | 5 | 12/12/17 | Safe Use of Brazed Aluminum Heat Exchangers for Producing Pressurized Oxygen |
| G-4.10 | 2 | 04/21/17 | Use of Nonmetallic Materials in High Pressure Oxygen Breathing Gas Applications |
| G-4.11 | 2 | 06/14/17 | Reciprocating Compressors for Oxygen Service |
| G-4.13 | 1 | 06/06/12 | Centrifugal Compressors for Oxygen Service (Corrected 2017) |
| G-4.14 | 2 | 06/14/17 | Design, Manufacture, Installation, Operation, and Maintenance of Valves Used in Liquid Oxygen and Cold Gaseous Oxygen Systems |
| G-4.15 | 1 | 01/25/19 | Vacuum-Jacketed Piping in Liquid Oxygen Service |
| G-5 | 8 | 11/01/17 | Hydrogen |
| G-5.3 | 7 | 11/01/17 | Commodity Specification for Hydrogen |
| G-5.4 | 5 | 10/16/12 | Standard for Hydrogen Piping Systems at User Locations |
| G-5.5 | 3 | 03/05/14 | Hydrogen Vent Systems |
| G-5.6 | 1 | 05/12/05 | Hydrogen Pipeline Systems |
| G-5.7 | 2 | 04/30/14 | Carbon Monoxide and Syngas Pipeline Systems |
| G-6 | 7 | 04/28/09 | Carbon Dioxide |
| G-6.1 | 7 | 04/24/13 | Standard for Insulated Liquid Carbon Dioxide Systems at Consumer Sites |
| G-6.2 | 6 | 10/14/11 | Commodity Specification for Carbon Dioxide |
| G-6.3 | 4 | 01/04/13 | Carbon Dioxide Cylinder Filling and Handling Procedures |
| G-6.4 | 4 | 10/20/15 | Safe Transfer of Liquefied Carbon Dioxide in Insulated Cargo Tanks, Tank Cars, and Portable Containers |
| G-6.5 | 4 | 08/16/13 | Standard for Small Stationary Insulated Carbon Dioxide Supply Systems |
| G-6.6 | 4 | 09/01/15 | Standard for Carbon Dioxide Bulk Transfer Hoses |
| G-6.7 | 4 | 12/23/09 | Safe Handling of Liquid Carbon Dioxide Containers That Have Lost Pressure |
| G-6.8 | 3 | 08/09/16 | Transfiling and Safe Handling of Small Carbon Dioxide Cylinders |
| G-6.9 | 3 | 03/11/11 | Dry Ice |
| G-6.10 | 1 | 10/23/06 | Flammable Gases and/or Oxygen Contamination in Carbon Dioxide Feed Gas |
| G-6.11 | 2 | 09/27/16 | Concentration of Impurities in Bulk Carbon Dioxide Storage Tanks at Customer Sites |
| G-6.12 | 1 | 09/27/16 | Standard for the Suitability of Carbon Steel Containers for Stationary Carbon Dioxide Storage |
| G-7 | 7 | 04/07/14 | Compressed Air for Human Respiration |
| G-7.1 | 7 | 03/06/18 | Commodity Specification for Air |
| G-8.1 | 5 | 10/22/13 | Standard for Nitrous Oxide Systems at Customer Sites |
| G-8.2 | 7 | 05/18/17 | Commodity Specification for Nitrous Oxide |
| G-8.3 | 2 | 04/19/16 | Safe Practices for Storage and Handling of Nitrous Oxide |
| G-8.4 | 2 | 04/18/16 | Safe Practices for the Production of Nitrous Oxide from Ammonium Nitrate |
| G-9.1 | 9 | 03/16/18 | Commodity Specification for Helium |

CGA Electronic Library Contents

| ID | Ed | Pub Date | Title |
|--------|----|----------|---|
| G-10.1 | 8 | 10/27/16 | Commodity Specification for Nitrogen |
| G-11.1 | 7 | 10/27/16 | Commodity Specification for Argon |
| G-12 | 5 | 04/17/18 | Hydrogen Sulfide |
| G-13 | 3 | 01/12/15 | Storage and Handling of Silane and Silane Mixtures (an American National Standard) |
| G-14 | 3 | 08/24/17 | Nitrogen Trifluoride |
| G-15 | 2 | 02/06/18 | Fluorine and Fluorine Mixtures with Inert Gases |
| G-16 | 2 | 06/21/18 | Arsine |
| G-17 | 2 | 06/20/18 | Phosphine |
| G-18 | 1 | 08/30/16 | Hydrogen Selenide |
| G-19 | 1 | 04/12/17 | Guideline for Natural Gas Safe Handling and Operations |
| G-19.1 | 1 | 07/05/18 | Standard for Natural Gas Supply Systems |
| H-1 | 2 | 10/11/11 | Service Conditions for Portable, Reversible Metal Hydride Systems |
| H-2 | 2 | 01/19/18 | Guideline for Classification and Labeling of Hydrogen Storage Systems with Hydrogen Absorbed in Reversible Metal Hydrides |
| H-3 | 2 | 07/19/13 | Cryogenic Hydrogen Storage |
| H-4 | 2 | 10/23/13 | Terminology Associated with Hydrogen Fuel Technologies |
| H-5 | 2 | 08/25/14 | Standard for Bulk Hydrogen Supply Systems (an American National Standard) |
| H-10 | 2 | 09/21/18 | Combustion Safety for Steam Reformer Operation |
| H-11 | 1 | 12/13/13 | Safe Startup and Shutdown Practices for Steam Reformers |
| H-12 | 1 | 08/17/15 | Mechanical Integrity of Syngas Outlet Systems |
| H-13 | 1 | 07/13/17 | Hydrogen Pressure Swing Adsorber (PSA) Mechanical Integrity Requirements |
| H-14 | 1 | 09/21/18 | HYCO Plant Gas Leak Detection and Response Practices |
| M-1 | 4 | 01/29/18 | Standard for Medical Gas Supply Systems at Health Care Facilities (an American National Standard) |
| M-1.1 | 1 | 02/21/19 | Guidance for Compressed Medical Gas Cryogenic Fluid Central Supply System Training |
| M-2 | 2 | 01/02/13 | General Guide for the Manufacture of Medical Gases Classified as Drugs |
| M-3 | 4 | 08/12/15 | Standard for the Manufacturer of Bulk Medical Gases |
| M-4 | 2 | 05/17/19 | Guideline for Validation of Medical Cylinder Filling Systems |
| M-5 | 2 | 11/19/13 | Guide for Home Respiratory Care Firms Filling or Distributing Liquid Oxygen USP |
| M-6 | 2 | 08/26/13 | Guideline for Analytical Method Validation |
| M-7 | 5 | 10/12/17 | Standard for Qualifying Suppliers Used by Medical Gas Manufacturers, Equipment Manufacturers, and Distributors |
| M-8 | 3 | 01/19/18 | Standard for the Manufacturer of Calibration Gas Standards Used to Analyze Medical and Food Gases |
| M-9 | 2 | 08/12/15 | Guideline for Maintaining Bulk Gas Supplier Fingerprint Analysis at Compressed Medical Gas Filling Facilities |
| M-11 | 2 | 07/14/14 | Guideline for Compliance with the Quality Systems Approach to Pharmaceutical CGMPs |
| M-12 | 2 | 05/16/14 | Guideline for Investigating Out-of-Specification Test Results for Food and Medical Gas Manufacturing |
| M-13 | 2 | 05/16/14 | Certifying Third-Party Testing Laboratories |
| M-14 | 2 | 08/12/15 | Guideline for Bulk Liquid Oxygen and Bulk Liquid Nitrogen Trailer Change of Grade |
| M-14.1 | 1 | 12/11/13 | Bulk Trailer Change of Grade Validation Protocol |
| M-15 | 3 | 01/31/18 | Standard for Appropriate and Effective Regulations for Medical Gases Within 21 CFR Parts 201, 205, and 210/211 |
| M-16 | 1 | 03/30/16 | Guidance for Electronic Records and Signatures in the U.S. and Canadian Food, Drug, and Medical Device Gas and Gas Equipment Industry |
| M-17 | 1 | 03/30/16 | Standard for Automatic Trailer Fill Compliance to 21 CFR Part 11 and PIC/S Annex 11 Requirements |
| M-18 | 1 | 07/06/18 | Standard for the Change of Product and Change of Grade for High Pressure and Refrigerated Liquid Containers |
| M-19 | 1 | 02/16/17 | Standard for Biocompatibility of Materials for Medical Gas Equipment |
| M-20 | 1 | 02/16/17 | Guideline for the Implementation of Unique Device Identification |
| M-21 | 1 | 11/16/17 | Guideline for Determining Pharmacovigilance Reporting Requirements in North America (for the U.S. & Reference for Canada) |
| M-22 | 1 | 10/12/17 | Standard for Medical Gas Quick Connect Adaptors (Formerly SB-43) |
| P-1 | 12 | 03/23/15 | Standard for Safe Handling of Compressed Gases in Containers |
| P-2 | 11 | 05/24/19 | Guideline for Characteristics and Safe Handling of Medical Gases |
| P-2.5 | 7 | 09/22/18 | Standard for Transfilling of High Pressure Gaseous Oxygen Used for Respiration |
| P-2.6 | 6 | 11/26/18 | Standard for Transfilling of Liquid Oxygen Used for Respiration |
| P-2.7 | 5 | 09/20/18 | Guideline for the Safe Storage, Handling, and Use of Small Portable Liquid Oxygen Systems in Health Care Facilities |

CGA Electronic Library Contents

| ID | Ed | Pub Date | Title |
|-------|----|----------|---|
| P-5 | 6 | 04/26/13 | Suggestions for the Care of High Pressure Air Cylinders for Underwater Breathing |
| P-6 | 7 | 10/16/12 | Standard Density Data, Atmospheric Gases and Hydrogen |
| P-7 | 5 | 09/07/07 | Standard for Requalification of Cargo Tank Hose Used in the Transfer of Carbon Dioxide Refrigerated Liquid |
| P-8 | 5 | 04/30/13 | Safe Practices Guide for Cryogenic Air Separation Plants |
| P-8.1 | 4 | 11/18/16 | Safe Installation and Operation of PSA and Membrane Oxygen and Nitrogen Generators |
| P-8.2 | 6 | 11/29/18 | Guideline for Validation of Air Separation Unit and Cargo Transport Unit Filling for Medical Oxygen and Medical Nitrogen |
| P-8.3 | 4 | 12/13/17 | Perlite Management |
| P-8.4 | 3 | 05/08/13 | Safe Operation of Reboilers/Condensers in Air Separation Units |
| P-8.6 | 2 | 07/10/15 | Unmanned Air Gas Plants—Design and Operation |
| P-8.7 | 1 | 11/18/16 | Safe Location of Oxygen and Inert Gas Vents |
| P-8.8 | 2 | 12/12/17 | Safe Design and Operation of Cryogenic Enclosures |
| P-8.9 | 1 | 10/18/13 | Bulk Liquid Oxygen, Nitrogen, and Argon Storage Systems at Production Sites |
| P-9 | 5 | 11/16/15 | The Inert Gases: Argon, Nitrogen, and Helium |
| P-11 | 5 | 05/16/19 | Guideline for Metric Practice in the Compressed Gas Industry |
| P-12 | 6 | 03/21/17 | Safe Handling of Cryogenic Liquids |
| P-15 | 5 | 04/13/16 | Standard for the Filling of Industrial and Medical Nonflammable Compressed Gas Cylinders |
| P-16 | 3 | 11/03/14 | Recommended Procedures for Nitrogen Purging of Tank Cars |
| P-17 | 5 | 09/11/18 | Procedures for Pneumatic Retesting of Cargo and Portable Tanks |
| P-18 | 4 | 08/27/13 | Standard for Bulk Inert Gas Systems (an American National Standard) |
| P-19 | 4 | 05/15/19 | CGA Recommended Hazard Ratings for Compressed Gases |
| P-20 | 5 | 06/20/17 | Standard for Classification of Toxic Gas Mixtures |
| P-21 | 4 | 09/30/09 | Guidelines for the Development of Pre-trip Inspection Checklist and Reports for MC-338, TC-338, TC-341, and CGA-341 Cargo Tanks |
| P-22 | 3 | 12/04/14 | The Responsible Management and Disposition of Compressed Gases and their Cylinders |
| P-23 | 4 | 03/20/15 | Standard for Categorizing Gas Mixtures Containing Flammable and Nonflammable Components |
| P-26 | 5 | 11/21/97 | Guidelines for Inspection and Repair of MC-330 and MC-331 Anhydrous Ammonia Cargo Tanks (formerly TB-2) |
| P-27 | 2 | 05/22/08 | Recommended Hose Management Practice for Uninsulated Stainless Steel Cryogenic Cargo Tank Hose |
| P-28 | 4 | 08/15/14 | OSHA Process Safety Management and EPA Risk Management Plan Guidance Document for Bulk Liquid Hydrogen Systems |
| P-29 | 4 | 11/09/10 | Application of OSHA PSM and EPA RMP to the Compressed Gas Industry |
| P-30 | 3 | 07/26/13 | Portable Cryogenic Liquid Containers—Use, Care, and Disposal |
| P-31 | 3 | 10/05/12 | Liquid Oxygen, Nitrogen, and Argon Cryogenic Tanker Loading Systems |
| P-34 | 2 | 04/07/14 | Safe Handling of Ozone-Containing Mixtures Including the Installation and Operation of Ozone-Generating Equipment |
| P-35 | 1 | 02/26/01 | Guidelines for Unloading Tankers of Cryogenic Oxygen, Nitrogen, and Argon |
| P-36 | 2 | 09/09/14 | The Safe Preparation of Gas Mixtures |
| P-37 | 2 | 02/06/09 | Good Environmental Management Practices for the Compressed Gas Industry |
| P-38 | 3 | 08/09/16 | Guideline for Devalving Cylinders |
| P-40 | 4 | 09/06/17 | Calculation Method for the Analysis and Prevention of Overpressure During Refilling of Cryogenic Tanks with Rupture Disk(s) |
| P-41 | 2 | 06/05/18 | Locating Bulk Liquid Storage Systems in Courts |
| P-42 | 1 | 07/14/10 | Recommended Hose Management Practice for Compressed Gas Transfer Hoses |
| P-44 | 2 | 12/08/17 | Selection of Personal Protective Equipment |
| P-45 | 2 | 03/08/18 | Fire Hazards of Oxygen and Oxygen-Enriched Atmospheres |
| P-46 | 1 | 08/10/15 | Safe Handling of Electronic Specialty Gases |
| P-47 | 2 | 12/04/14 | Guidelines for FTSC Codes and Current Gas Listings |
| P-48 | 1 | 05/07/14 | Reciprocating Cryogenic Pumps and Pump Installation |
| P-49 | 1 | 09/17/14 | Prevention of Tow-Away Incidents |
| P-50 | 3 | 10/30/14 | Site Security Standard |
| P-51 | 3 | 10/30/14 | Transportation Security Standard for the Compressed Gas Industry |
| P-52 | 3 | 10/30/14 | Security Standard for Qualifying Customers Purchasing Compressed Gases |
| P-53 | 2 | 10/30/14 | Security Code Top Screen |
| P-54 | 1 | 04/24/19 | Guideline for Enhancing Security Culture |
| P-55 | 3 | 08/31/18 | U.S. Environmental Regulations Inventory for Industrial Gas Operations |

CGA Electronic Library Contents

| ID | Ed | Pub Date | Title |
|-------|----|----------|--|
| P-56 | 2 | 12/18/14 | Cryogenic Vaporization Systems—Prevention of Brittle Fracture of Equipment and Piping |
| P-57 | 2 | 01/03/13 | Avoidance of Failure of Carbon Monoxide and of Carbon Monoxide/Carbon Dioxide Mixtures Cylinders |
| P-58 | 2 | 07/07/15 | Safe Preparation of Compressed Oxidant-Fuel Gas Mixtures in Cylinders |
| P-59 | 2 | 02/05/15 | Prevention of Excessive Pressure During Filling of Cryogenic Vessels |
| P-60 | 2 | 09/27/16 | Guideline for the Use of the North American Industrial Classification System and the Standard Industrial Classification Indices |
| P-61 | 2 | 02/16/17 | Ergonomic Guidelines for the Industrial and Medical Gas Industry |
| P-62 | 2 | 12/13/18 | Guideline for Sea Transport of Multiple Element Gas Containers and Portable Tanks for Gases |
| P-63 | 1 | 02/12/13 | Disposal of Gases |
| P-64 | 1 | 02/27/14 | Guideline for the Location of Occupied Buildings in Industrial Gas Plants |
| P-65 | 1 | 10/16/15 | Supplemental Information for Safety Data Sheet Hazard Communication |
| P-66 | 1 | 06/23/15 | Guideline for the Selection of Pressure Relief Devices and Valve Outlets for UN Marked Cylinders |
| P-67 | 1 | 04/03/17 | Guideline for the Safe Transport of Medical Oxygen or Oxygen Concentrators for Personal Use in Public and Commercial Transportation |
| P-68 | 1 | 08/09/16 | Standard for Roadside Inspections of Vehicles Transporting Class 2 Hazardous Materials (formerly CGA SB-40) |
| P-69 | 1 | 04/16/18 | Guideline for Emergency Response to Cryogenic Liquid Releases |
| P-70 | 1 | 11/21/16 | Standard for the Safe Handling of Oxygen Cylinders in the Offshore Marine Industry |
| P-71 | 1 | 04/17/17 | Standard for the Safe Movement of Portable Cylinder Banks (Formerly SB-32) |
| P-72 | 1 | 04/17/17 | Guideline for Removing Hazardous Material Containers During Repair and Maintenance of Cylinder Trucks and Trailers (Formerly SB-21) |
| P-73 | 1 | 09/23/17 | Hazards Associated with the Decontamination, Disposal, or Requalification of Cylinders in Diborane, Diborane Mixtures, and Pentaborane Service |
| P-74 | 1 | 03/01/19 | Standard for Tube Trailer Supply Systems at Customer Sites |
| P-75 | 1 | 01/18/18 | Standard for Proper Handling of Insulated Tanks that are in Obvious Signs of Loss of Vacuum (Formerly SB-45) |
| P-76 | 1 | 10/04/18 | Hazards of Oxygen-Deficient Atmospheres |
| P-77 | 1 | 08/18/18 | Standard for Filling Nonliquefied Gases in DOT/TC Specification Cylinders to a Specified Settled Pressure (Formerly TB-26) |
| P-78 | 1 | 06/05/18 | Guideline for the Safe Use of Instrument Air Systems Backed up by Gases Other Than Air (Formerly SB-28) |
| P-79 | 1 | 11/05/18 | Guideline for Common Carrier Vehicle Shipments of Compressed Gas Cylinders and Containers (Formerly SB-24) |
| P-80 | 1 | 08/17/18 | Guideline for Employee Safety and Security at Customer Locations (Formerly SB-35) |
| S-1.1 | 15 | 02/11/19 | Pressure Relief Device Standards-Part 1-Cylinders for Compressed Gases |
| S-1.2 | 9 | 03/18/09 | Pressure Relief Device Standards-Part 2-Portable Containers for Compressed Gases |
| S-1.3 | 8 | 12/03/08 | Pressure Relief Device Standards-Part 3-Stationary Storage Containers for Compressed Gases |
| S-7 | 6 | 01/18/18 | Standard Method for Selecting Pressure Relief Devices for Compressed Gas Mixtures in Cylinders |
| S-8 | 3 | 01/16/18 | Guideline for the Safe Handling of Liquefied Petroleum Gas Cylinders |
| S-9 | 1 | 06/20/18 | Correct Assemblies and Installation of Rupture Disk and Fusible Plug Type Pressure Relief Devices (Formerly TB-13) |
| S-10 | 1 | 06/27/18 | Guideline to Mitigate Hazards for Small Pressure Relief Valves that Fail to Open at Set Pressure (Cracking Pressures less than 100 psi) (Formerly TB-24) |
| S-11 | 1 | 09/04/18 | Standard for Inspection and Correct Installation of Internal Relief Device Elbows in Tubes |
| V-1 | 13 | 05/01/13 | Standard for Compressed Gas Cylinder Valve Outlet and Inlet Connections |
| V-5 | 7 | 05/24/19 | Standard for Diameter Index Safety System (Noninterchangeable Low Pressure Connections for Medical Gas Applications) |
| V-6 | 6 | 12/04/14 | Standard Bulk Refrigerated Liquid Transfer Connections |
| V-7 | 6 | 11/12/15 | Standard Method of Determining Cylinder Valve Outlet Connections for Industrial Gas Mixtures |
| V-7.1 | 2 | 05/17/11 | Standard Method of Determining Cylinder Valve Outlet Connections for Medical Gases |
| V-9 | 7 | 05/04/12 | Compressed Gas Association Standard for Compressed Gas Cylinder Valves |
| V-10 | 6 | 04/17/17 | High Pressure Gas Trailer Connections |
| V-11 | 3 | 04/19/18 | Guideline for the Installation of Valves into High Pressure Aluminum Alloy Cylinders |
| V-12 | 2 | 09/29/14 | Leak Detection Fluids Use with Gas Cylinder Packages |
| V-14 | 2 | 11/05/18 | Performance Standard for Sealing Gaskets Used on CGA 870 Connections for Medical Oxygen Service at a Maximum Service Pressure of 2216 psi |
| V-15 | 1 | 05/26/16 | Use of Residual Pressure Valves |
| V-16 | 1 | 09/27/16 | Guideline for the Application of CGA Publications to Cylinder Valves |
| V-17 | 1 | 09/27/16 | Guideline for Handling and Use of CGA 630/710 Series Ultra High Integrity Service Connections |
| V-18 | 1 | 09/27/16 | Standard for Required Markings and Manufacturer Identification on Post-Type Medical Cylinder Valves |

CGA Electronic Library Contents

| ID | Ed | Pub Date | Title |
|---------|----|----------|--|
| V-19 | 1 | 03/20/18 | Marking Requirements to Mitigate Potential Cylinder and Cylinder Valve Thread Mismatches (Formerly TB-16) |
| V-21 | 1 | 02/14/19 | Torque Guidelines for Sealing CGA Valve Outlet Connections |
| CGA-341 | 7 | 11/01/17 | Specification for Insulated Cargo Tank for Nonflammable Cryogenic Liquids |
| TR-2 | 1 | 04/01/04 | High Pressure Steel Cylinders In-Service Performance |
| TR-3 | 1 | 12/11/14 | The Impact of Ambient Air Contaminants on Validation Requirements for the Air Separation Process |
| PS-1 | 4 | 09/14/06 | CGA Position Statement on Odorizing Atmospheric Gases (Oxygen, Nitrogen, and Argon) |
| PS-2 | 4 | 10/13/17 | CGA Position Statement on Establishing an Industry Standard Color Code for Compressed Gas Cylinders |
| PS-4 | 2 | 09/04/02 | CGA Position Statement on Periodic Proof Testing of Stationary, Cryogenic Liquid, Vacuum-Jacketed Tanks |
| PS-6 | 4 | 07/13/11 | CGA Position Statement on Securing Compressed Gas Cylinders from Falling at Gas Manufacturers' and Distributors' Facilities and Users' Sites |
| PS-7 | 4 | 10/23/13 | CGA Position Statement on the Safe Transportation of Compressed Gas Cylinders and Cryogenic Liquid Containers in Passenger Vehicles |
| PS-9 | 2 | 08/03/18 | CGA Position Statement on the Use of Copper in Acetylene Service |
| PS-10 | 2 | 09/21/06 | CGA Position Statement on the Location of Pressure Relief Devices in Small Acetylene Cylinders |
| PS-19 | 1 | 11/18/05 | CGA Position Statement on the Use of Oxygen and Acetylene Cylinders on a Cylinder Cart |
| PS-22 | 2 | 05/16/14 | CGA Position Statement on Conforming with USP/NF Monographs for Medical Gases |
| PS-24 | 1 | 12/20/06 | CGA Position Statement on the Use of Tapered and Parallel (Straight) Threads in Aluminum Alloy Cylinders |
| PS-28 | 1 | 05/24/06 | CGA Position Statement on Non-ASME Certified Pressure Relief Valves Used for Thermal Expansion Relief in Certain Piping Systems |
| PS-29 | 2 | 11/03/14 | CGA Position Statement on Marking of DOT All-Metal, Seamless Compressed Gas Cylinders |
| PS-30 | 1 | 11/27/07 | CGA Position Statement on the Use of Railroad Tank Cars for Stationary Liquid Carbon Dioxide Storage |
| PS-31 | 1 | 11/06/07 | CGA Position Statement on Cleanliness for Proton Exchange Membranes Hydrogen Piping/Components |
| PS-33 | 1 | 08/27/08 | CGA Position Statement on Use of LPG or Propane Tank as Compressed Hydrogen Storage Buffers |
| PS-35 | 2 | 02/16/17 | CGA Position Statement on Filling and Distributing Emergency Oxygen Cylinders Without a Prescription |
| PS-37 | 1 | 05/30/14 | CGA Position Statement on Switching Vaporizers for Medical Gas Supply Systems |
| PS-38 | 1 | 05/30/14 | CGA Position Statement on Registration of Facilities Filling Open Topped Medical Nitrogen Dewars for Device Use |
| PS-39 | 1 | 09/10/15 | CGA Position Statement on Medical Gas Regulators, Valve Integrated Pressure Regulators, and Flowmeters Maintenance |
| PS-40 | 1 | 05/04/15 | CGA Position Statement on Requirements for Installers of Bulk Medical Gas Supply Systems |
| PS-42 | 3 | 01/31/18 | CGA Positions Statement on Appropriate and Effective Regulations for Medical Gases Within 21 CFR Parts 201, 205, and 210/211 |
| PS-43 | 1 | 06/20/16 | CGA Position Statement on Selection of Pressure Relief Devices for Tubes |
| PS-44 | 1 | 03/13/16 | CGA Position Statement on Designated Medical Gases are Not Active Pharmaceutical Ingredients |
| PS-45 | 1 | 11/21/16 | CGA Position Statement on Transport of Compressed Gas Cylinders and Cryogenic Liquid Containers in Elevators |
| PS-46 | 1 | 04/13/17 | CGA Position Statement on Roofs Over Hydrogen Storage Systems |
| PS-47 | 1 | 06/20/16 | CGA Position Statement on Strategic Plan on Food Gas Monographs |
| PS-48 | 1 | 03/28/16 | CGA Position Statement on Clarification of Existing Hydrogen Setback Distances and Development of New Hydrogen Setback Distances in NFPA 55 |
| PS-49 | 1 | 06/20/16 | CGA Position Statement on Bulk Transport Vessels for the Delivery of Food Gases |
| PS-50 | 2 | 04/24/19 | CGA Position Statement on Food Gases and Genetically Modified Organisms (GMO) |
| PS-51 | 1 | 09/23/17 | CGA Position Statement on Use of Magnetic Cylinder Carts |
| PS-52 | 1 | 12/13/17 | CGA Position Statement on Markings Required to be Readily Visible on Cylinders and Tubes |
| PS-53 | 1 | 03/21/17 | CGA Position Statement on Pressure Regulators, Cylinder Valves, and Cylinders with Valves as Medical Devices |
| PS-54 | 1 | 02/16/18 | CGA Position Statement on FDA Establishment Registration and Listing for Mixtures of Designated Medical Gases |
| PS-55 | 1 | 02/27/19 | CGA Position Statement on Use of Nonsparking Tools |
| PS-56 | 1 | 09/26/18 | CGA Position Statement on Internal Inspection of Stationary Vacuum-Jacketed Storage Tanks for Cryogenic and Refrigerated Liquids |
| SA-2 | 2 | 11/26/03 | Safety Alert, Acetylene |
| SA-11 | 1 | 09/22/00 | Safety Alert, Potential for Hidden Cryogenic Liquid Cylinder Contamination |
| SA-16 | 1 | 06/21/05 | Safety Alert, Blended Breathing Air Fatalities |
| SA-20 | 1 | 08/04/08 | Safety Alert, Use of Nitrogen NF for Surgical Air Tools |
| SA-21 | 1 | 08/04/08 | Safety Alert, Hazards of Compressed Gas Cylinders in the Magnetic Resonance Imaging (MRI) Environment |
| SA-22 | 1 | 11/28/11 | Safety Alert, Potential of Carbonated Beverage Systems to Create a Life-Threatening Environment |
| SA-23 | 1 | 08/20/12 | Safety Alert, Acetylene Cylinders Missing Required Markings |

CGA Electronic Library Contents

| ID | Ed | Pub Date | Title |
|-------|----|----------|--|
| SA-24 | 1 | 09/18/12 | Safety Alert, Emergency Medical Services Filling Oxygen or Air for Human Respiration |
| SA-29 | 1 | 05/10/17 | Safety Alert, Hazards of Liquid Nitrogen in Near-Consumer Applications |
| SA-30 | 1 | 10/17/17 | Safety Alert, Handling Cylinders After Natural Disaster Exposure |
| SA-31 | 1 | 10/17/17 | Safety Alert, Receiving Cylinders After Natural Disaster Exposure |
| SB-1 | 6 | 10/26/11 | Hazards of Refilling or Reusing Compressed Refrigerant (Halogenated Hydrocarbon) Gas Cylinders |
| SB-6 | 6 | 05/16/14 | Nitrous Oxide Security and Control |
| SB-12 | 3 | 10/15/07 | Use of Regulator Pressure Gauges |
| SB-22 | 4 | 07/05/13 | Aluminum Cylinders—Guidelines for Heat Exposure Indicating Systems |
| SB-23 | 3 | 10/02/13 | Liquid Oxygen USP Withdrawal from Health Care Facilities' Primary or Reserve Bulk Storage Tank Systems |
| SB-26 | 4 | 08/15/14 | Cylinder Connections on Portable Liquid Cryogenic Cylinders |
| SB-27 | 3 | 12/13/13 | Safe Use and Handling of Small Cylinders |
| SB-29 | 3 | 05/01/13 | Prevention of Injury and Loss from Carbon Dioxide Delivery to Small Customer Sites |
| SB-31 | 2 | 08/14/13 | Hazards of Oxygen in the Health Care Environment |
| SB-33 | 1 | 01/13/05 | Static Electricity Hazards of Liquid or Solid Carbon Dioxide |
| SB-34 | 1 | 07/28/05 | Product Migration in Manifolded Cylinders Due to Temperature Variations |
| SB-36 | 1 | 09/21/06 | Prevention of Cylinder Lading Contamination |
| SB-39 | 2 | 04/18/16 | Potential Hazards of Quick Opening Cylinder Valves used with Firefighting Gases |
| SB-41 | 2 | 10/21/13 | Maintenance of Bulk Delivery Equipment Containing Class 2 Hazardous Materials |
| TB-3 | 5 | 08/27/08 | Oxy-Fuel Hose Line Flashback Arrestors |
| TB-8 | 2 | 09/28/09 | Evidence of Ownership of Compressed Gas Cylinders |
| TB-19 | 1 | 04/27/01 | Uses of Eddy Current to Detect Imperfections in Refillable High Pressure Vessels |
| TB-21 | 3 | 04/07/14 | Prevention of "Odor Fade" in Carbon Steel Propane Cylinders and Tanks |
| TB-25 | 3 | 04/22/13 | Design Considerations for Tube Trailers |
| TB-27 | 2 | 05/16/14 | Recommendations for CG-7 Pressure Relief Valves Used in Propylene Service |
| TB-29 | 2 | 05/16/14 | Use of Gaskets in High Pressure Medical Oxygen Cylinder Service |
| TB-30 | 2 | 09/27/16 | Sensitization Leading to Embrittlement and Potential Failure Due to Overheating During Manufacture or Repair of DOT-4L and TC-4LM Liquid Cylinders |